



SUPER SONIQ-HQ 'N'

Flex Printing Machine

NEW SINGLE PASS TECHNOLOGY

Now with Konica Minolta 512i 'N' 30pl Head



POWERED BY



KONICA MINOLTA

Now **2000** SQ. FT. PRINT PER HOUR FROM 4 HEADS ONLY

Industrial Grade High resolution Super Soniq-HQ 'N' Printer

NEW SINGLE PASS TECHNOLOGY NOW WITH KONICA 512i 30PL


Now **2000** SQ.FT. PER HOUR FROM 4 HEADS ONLY

Solvent Printer with Konica Minolta 512i 30pl Head

Model	Super Soniq HQ N-3304KHi		Super Soniq HQ N-3304KHi	
Printhead	KONICA 512i 30pl		KONICA 512i 30pl	
Number of Printhead	4		8	
Number of Head Nozzle	1024		1024	
Maximum Bed Width	3300 mm		3300 mm	
Maximum Print Width	3200 mm		3200 mm	
Print Speed :	W/o Fether	With Fether	W/o Fether	With Fether
480x180, 1Pass	195 sqm/hr	175 sqm/hr	390 sqm/hr	370 sqm/hr
360x360, 2Pass	120 sqm/hr	92 sqm/hr	240 sqm/hr	184 sqm/hr
480x360, 3Pass	80 sqm/hr	61 sqm/hr	160 sqm/hr	122 sqm/hr
360x540, 2Pass	95 sqm/hr	75 sqm/hr	190 sqm/hr	150 sqm/hr
Color	CMYK			
Media	Paper, Advertising, Banner, PVC, Mesh, Vinyl, Window Film & Canvas			
Resolution	Up to 1440 dpi			
Media Feeding	Auto Feeding, Auto Take up/Roll Less than 105kg			
Motion Control	JMC 400w X Motor & Drive for High Speed Printing (Panasonic optional)			
Auto Cleaning System	Negative Pressure Cleaning, Solvent Cleaning & Anti Clogging Flash Function			
Cleaning System	Spyda Negative Pressure System with Glass Tank			
Media Heating	Pre Heater, Infrared Heater & Cooling Fan System both			
Image Format	Bitmap, JPEG, PDF, TIFF, (Recommended)			
Color Management	Superior ICC Profile			
Work Flow	RIP and Print not same time, print after RIP			
Print Interface	USB 2.0			
Ink Type	Eco-Solvent/Solvent Based Ink			
Software	RIIN / Ultra Print (Recommended)			
Print Head Height	5mm (Maximum)			
Work Station	Windows 10 64bit			
Voltage	220V- (+10%) > 15A, 50Hz /60Hz			
Power Consumption	1500 (220vAC) with Heater 3,500W with Infrared Heater 6500W (220vAC)			
Working Environment	Temperature : 20 C - 28 C, Humidity : 40% -60%			
Machine Dimension	Length 4.52m, Width 1.25m, Height 1.66m,			
Machine Weight	Gross 1150kg, Net Weight 900kg			

*If Print Single Pass Mode Then may very Color and Speed
 *Single Pass Printing only for Speed Printing if need quality Printing then need with 2 Pass Printing

HIWIN
 Motion Control and System Technology



GOLDTECH
 DIGITAL INKJET & UV PRINTERS





GOLDTECHTM
DIGITAL INKJET & UV PRINTERS


SUPER SONIQ-HQ 'N' 3304/8 KH1



KONICA MINOLTA



Italian Pinch Roller
with extra hard & smooth



Printing air drying fan

Printing platform suction fan

